Werdrive	
LED by Innovation	

10W LED High CRI A GU24 OMNI

Dimmable - 2700K

ltem # 677

L10HAOMDIMGU/27K

1	LAMP SPECIFICATION								
1-1	Lamp Type	LED AGU24 OMNI Bulb							
1-2	Dimmable (Y/N)		YES						
1-3	Base			E26					
1-4	Lamp Finish/Type		GU24						
1-5	Lamp Wattage	10W							
1-6	Wattage Comparison (FC on Floor	60W Incand (based on Floor Lux)							
1-7	Rated Average Life (hours) L70		25,000						
1-8	Reliable Operating Temperature	-4F to 113F		Ove	rdrive				
2	Photometric Characteristics								
2-1	Initial Lumens	800							
2-2	Centre Beam Candle Power (Cd)	NA							
2-3	Beam Angle (50% I Max) in Degree		220		00				
2-4	Beam Angle (10% I Max) in Degree		NA						
2-5	Initial Lumens per Watt		80						
2-6	Color Temperature								
2.7	Color Rendering Index (CRI)		90 ENERGY STAR						
3	Electrical Characteristics								
3-1	Input Line Voltage/Frequency		120V 60 Hz	3-2	Power Factor	0.93			
3-3	Lamp rated Wattage		10W	3-4	Input Line Current	110 mA			
3-5	Total Harmonic Distortion	35%	3-6	Dimming Range in %	Full				
4	Dimensional Characteristics								
4-1	Nominal Length (Inches/mm)		4.33" / 110 mm	4-2	Diameter	2.36" / 60 mm			
5	Product Information								
5-1	Description 10W LED 90 CRI A GU24 OMNI Dimmable - 2700K								
5-2	Primary Application	Household Use, Office & Commercial							
5-3	Warranty 5 Years fro		om date of purchase						
5-4	TCLP Compliant YES			5-6	RoHS Compliant	YES			
5-5	Energy Star or LM79 (Y/N) ES			5-8	UL / FCC	YES			
6	PACKING DETAILS								
6-1	Color Box Size (Inches) 1x1 2.4 x 2.4 x 5.		6-2		Inner Carton Size (Inches) 1x12	10.35 x 7.72 x 5.51			
6-3	Master Carton Size (Inches) 1x48	4 x 12.60	6-4	Gross Weight / Net Weight (lbs)	11.39 / 6.13				
	02/2017© Overdrive For more information visit www.overdrive-lighting.com								
Note:	Note: This data sheet is not controlled copy & is subject to change without notice. Standard Tolerances apply on data given above.								